

# PVC and Flexible Pan Connectors

## BPIR Declaration

Version: V1

---

### Designated building product: Class 1

---

### Declaration

Pacific Plumbing Supplies has provided this declaration to satisfy the provisions of Schedule 1(d) of the building (Building Product Information Requirements) Regulations 2022.

---

### Product/system

<b>Name</b>	PVC and Flexible Pan Connectors
<b>Line</b>	PVC Pan Connectors and Flexible Pan Connectors
<b>Identifier</b>	PC300, PC300/20, PC300/40, PC300N, PC100, PC80

---

### Description

The PVC and Flexible Pan Connectors are manufactured from PVC with rubber ends and used to connect the back of the toilet pan to the soil/waste pipe.

The PVC and Flexible Pan Connectors are suitable for both domestic and commercial use.

The PVC Pan Connectors come in a white finish with black Rubber connection ends, a Standard 100mm Push on Top Diameter 148mm, with offset options of 20mm and 40mm as well as a narrow pan option of top diameter 137mm.

The Flexible Pan Connectors come in a white finish and can form to any angle extending up to 400mm.

---

## Scope of use

The PVC and Flexible Pan Connectors are intended for use in domestic, commercial and public bathrooms.

Compatible with standard toilet and sanitary pipe fittings.

---

## Conditions of use

The PVC and Flexible Pan Connectors must be installed by a registered plumber in accordance with the installation instructions of the toilet manufacturer as a component of the overall installation process.

---

## Relevant building code clauses

**B2 Durability** – B2.3.1 (c)

**F2 Hazardous building materials** – F2.3.1

**G1 Personal Hygiene** – G1.3.2, G1.3.4

---

## Contributions to compliance

B2.3.1 (c) The PVC and Flexible Pan Connectors comply Under the clause, building materials, components and construction methods are required to be sufficiently durable. Without reconstruction or major renovation, will continue to satisfy the other functional requirements of the Building Code throughout its life. With correct installation the PVC and Flexible Pan Connectors adhere to the minimum durability periods building elements must meet with only normal maintenance.

F2.3.1 The PVC and Flexible Pan Connectors are safe when handled. There are no requirements for this product to comply with Acceptable Solution F2

G1.1 (a) safeguard people from illness caused by infection or contamination, G1.3.2 (a) Sanitary fixtures shall be located, constructed and installed to facilitate sanitation. The PVC and Flexible Pan Connectors are a component of the toilet system that must meet this building code but are not individually covered under the code as standalone items. The durability for their purpose is covered under Building code B2 and they are suitable for use in this capacity.

## Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Pacific Plumbing Supplies 2023 Ltd
Manufacturer address for service	25 Sir William Avenue East Tamaki Auckland 2013
Manufacturer website	<a href="http://www.pacificplumbing.co.nz">www.pacificplumbing.co.nz</a>
Manufacturer email	<a href="mailto:info@pacificplumbing.co.nz">info@pacificplumbing.co.nz</a>
Manufacturer phone number	092682449
Manufacturer NZBN	9429051220280

### PACIFIC PLUMBING SUPPLIES

25 Sir William Avenue East Tamaki Auckland 2013 New Zealand

092682449 | [www.pacificplumbing.co.nz](http://www.pacificplumbing.co.nz)